





EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

25-7510A

ΕN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant

BNC Plug to RCA Jack Adapter







Specifications:

Electrical


Frequency Range : DC-250MHz Nominal Impedance : 75Ω Working Voltage : 500V Max.

Materials

Bodies : Brass per JIS-C3604 Centre Contact : Brass per JIS-C3604

Environmental

Operating Temperature Range : -20°C to +60°C



Dimensions: Millimetres (Inches)

Finish and Others:

No	Description	Material	Q'ty	Finish
1	Shell	Zinc		Nickel
2	Insulation	POM]	None
3	Gasket	Rubber]	Red
4	Washer	Brass]	
5	Spring Washer	SK-5	1	Nickel
6	Washer	Brass		
3	Body			Nickel 100µ" Min.
8	Insulation	POM]	None
9	Centre Contact	Brass		Nickel

Part Number Table

Description	Part Number	
BNC Plug to RCA Jack Adapter	25-7510A	

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com









EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

25-7510A

ΕN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant